


Y2P Series Euro profile cylinder

Specifications:

- Operated by internal and external key
- Longer key for use with armoured doors
- Suitable for European markets

Features:

- Nickel brass
- With 1 construction key each cylinder
- With 5 main keys each cylinder
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



				
2P0#00100005000	Euro profile cylinder mm 60 (30-30)	12	270	Nickel matt
2P0#00120005000	Euro profile cylinder mm 65 (30-35)	12	280	Nickel matt
2P0#00130005000	Euro profile cylinder mm 70 (30-40)	12	290	Nickel matt
2P0#00140005000	Euro profile cylinder mm 70 (35-35)	12	290	Nickel matt
2P0#00160005000	Euro profile cylinder mm 75 (30-45)	12	330	Nickel matt
2P0#00170005000	Euro profile cylinder mm 75 (35-40)	12	330	Nickel matt
2P0#00180005000	Euro profile cylinder mm 80 (30-50)	12	340	Nickel matt
2P0#00190005000	Euro profile cylinder mm 80 (35-45)	12	340	Nickel matt
2P0#00200005000	Euro profile cylinder mm 80 (40-40)	12	340	Nickel matt
2P0#00210005000	Euro profile cylinder mm 85 (30-55)	12	360	Nickel matt
2P0#00220005000	Euro profile cylinder mm 85 (35-50)	12	360	Nickel satin
2P0#00230005000	Euro profile cylinder mm 85 (40-45)	12	360	Nickel satin
2P0#00240005000	Euro profile cylinder mm 90 (30-60)	12	370	Nickel satin
2P0#00250005000	Euro profile cylinder mm 90 (35-55)	12	370	Nickel satin
2P0#00260005000	Euro profile cylinder mm 90 (40-50)	12	370	Nickel satin
2P0#00270005000	Euro profile cylinder mm 90 (45-45)	12	370	Nickel satin
2P0#00280005000	Euro profile cylinder mm 95 (30-65)	12	380	Nickel satin
2P0#00290005000	Euro profile cylinder mm 95 (35-60)	12	380	Nickel satin
2P0#00310005000	Euro profile cylinder mm 95 (45-50)	12	410	Nickel satin
2P0#00320005000	Euro profile cylinder mm 100 (30-70)	12	410	Nickel satin
2P0#00330005000	Euro profile cylinder mm 100 (35-65)	12	410	Nickel satin
2P0#00340005000	Euro profile cylinder mm 100 (40-60)	12	410	Nickel satin
2P0#00350005000	Euro profile cylinder mm 110 (45-55)	12	420	Nickel satin
2P0#00360005000	Euro profile cylinder mm 100 (50-50)	12	420	Nickel satin

Y2P Series Euro profile cylinder

				
2P0#00400005000	Euro profile cylinder mm 110 (30-80)	6	420	Nickel satin
2P0#00410005000	Euro profile cylinder mm 110 (40-70)	6	420	Nickel satin
2P0#00430005000	Euro profile cylinder mm 110 (50-60)	6	420	Nickel satin
2P0#00480005000	Euro profile cylinder mm 120 (40-80)	6	430	Nickel satin
2P0#00590005000	Euro profile cylinder mm 140 (70-70)	6	430	Nickel satin
2P0#00780005000	Euro profile cylinder mm 110 (35-75)	6	420	Nickel satin
2P0#00840005000	Euro profile cylinder mm 120 (45-75)	6	430	Nickel satin
2P0#00850005000	Euro profile cylinder mm 130 (55-75)	6	430	Nickel satin


Y2P Series Single Euro profile cylinder

Specifications:

- Operated by key
- Recodable (1+5)
- Available only for the European market

Features:

- Nickel brass
- With 1 construction key each cylinder
- With 5 main keys each cylinder
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



				
2P5#00100005000	Single euro profile cylinder mm 40 (30-10)	12	210	Nickel satin
2P5#00110005000	Single euro profile cylinder mm 45 (35-10)	12	215	Nickel satin
2P5#00120005000	Single euro profile cylinder mm 50 (40-10)	12	220	Nickel satin


Y2P Series Euro profile cylinder with knob

Specifications:

- Operated by key
- Recodable (1+5)
- Suitable for European markets

Features:

- Nickel brass
- With 1 construction key each cylinder
- With 5 main keys each cylinder
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



				
2P1#00100005000	Euro profile cylinder with knob mm 60 (30-30K)	6	305	Nickel matt
2P1#00120005000	Euro profile cylinder with knob mm 65 (30-35K)	6	320	Nickel matt
2P1#00140005000	Euro profile cylinder with knob mm 70 (35-35K)	6	355	Nickel matt
2P1#00180005000	Euro profile cylinder with knob mm 80 (50-30K)	6	400	Nickel matt
2P1#00200005000	Euro profile cylinder with knob mm 80 (40-40)	6	400	Nickel matt
2P1#00230005000	Euro profile cylinder with knob mm 85 (45-40K)	6	415	Nickel matt
2P1#00240005000	Euro profile cylinder with knob mm 90 (60-30K)	6	440	Nickel matt
2P1#00260005000	Euro profile cylinder with knob mm 90 (50-40K)	6	440	Nickel satin
2P1#00270005000	Euro profile cylinder with knob mm 90 (45-45K)	6	440	Nickel satin
2P1#00290005000	Euro profile cylinder with knob mm 95 (60-35K)	6	445	Nickel satin
2P1#00340005000	Euro profile cylinder with knob mm 100 (60-40K)	6	450	Nickel satin
2P1#00360005000	Euro profile cylinder with knob mm 100 (50-50K)	6	450	Nickel satin
2P3#00120005000	Euro profile cylinder with knob mm 65 (30-35K)	6	320	Nickel satin
2P3#00130005000	Euro profile cylinder with knob mm 70 (30-40K)	6	355	Nickel satin
2P3#00160005000	Euro profile cylinder with knob mm 75 (30-45K)	6	355	Nickel satin
2P3#00170005000	Euro profile cylinder with knob mm 75 (35-40K)	6	355	Nickel satin
2P3#00180005000	Euro profile cylinder with knob mm 80 (30-50K)	6	400	Nickel satin
2P3#00220005000	Euro profile cylinder with knob mm 85 (35-50K)	6	415	Nickel satin
2P3#00230005000	Euro profile cylinder with knob mm 85 (40-45K)	6	415	Nickel satin
2P3#00260005000	Euro profile cylinder with knob mm 90 (40-50K)	6	440	Nickel satin
2P3#00340005000	Euro profile cylinder with knob mm 100 (40-60K)	6	450	Nickel satin

Y2P Series



Euro profile cylinder special axle

Specifications:

- Operated by key
- Recodable (1+5)
- Suitable for European markets

Features:

- Nickel brass
- With 1 construction key each cylinder
- With 5 main keys each cylinder
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



				
2P2#00100005000	Euro profile cylinder special axle mm 60 (30-30P)	6	315	Nickel matt
2P2#00120005000	Euro profile cylinder special axle mm 65 (35-30P)	6	325	Nickel matt
2P2#00130005000	Euro profile cylinder special axle mm 70 (40-30P)	6	340	Nickel matt
2P2#00160005000	Euro profile cylinder special axle mm 75 (45-30P)	6	355	Nickel matt
2P2#00180005000	Euro profile cylinder special axle mm 80 (50-30P)	6	370	Nickel matt
2P2#00210005000	Euro profile cylinder special axle mm 85 (30-30P)	6	380	Nickel matt
2P2#00240005000	Euro profile cylinder special axle mm 90 (60-30P)	6	390	Nickel matt


Y2S Series Euro profile cylinder

Specifications:

- Operated by internal and external key
- Suitable for European markets

Features:

- Nickel brass
- With 5 keys each
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



				
250#00100005000	Euro profile cylinder mm 60 (30-30)	12	270	Nickel matt
250#00120005000	Euro profile cylinder mm 65 (30-35)	12	280	Nickel matt
250#00130005000	Euro profile cylinder mm 70 (30-40)	12	290	Nickel matt
250#00140005000	Euro profile cylinder mm 70 (35-35)	12	290	Nickel matt
250#00160005000	Euro profile cylinder mm 75 (30-45)	12	330	Nickel matt
250#00170005000	Euro profile cylinder mm 75 (35-45)	12	330	Nickel matt
250#00180005000	Euro profile cylinder mm 80 (30-50)	12	340	Nickel matt
250#00190005000	Euro profile cylinder mm 80 (35-45)	12	340	Nickel matt
250#00200005000	Euro profile cylinder mm 80 (40-40)	12	340	Nickel matt
250#00210005000	Euro profile cylinder mm 85 (30-55)	12	360	Nickel matt
250#00220005000	Euro profile cylinder mm 85 (35-50)	12	360	Nickel matt
250#00230005000	Euro profile cylinder mm 85 (40-45)	12	360	Nickel matt
250#00240005000	Euro profile cylinder mm 90 (30-60)	12	370	Nickel matt
250#00250005000	Euro profile cylinder mm 90 (35-55)	12	370	Nickel matt
250#00260005000	Euro profile cylinder mm 90 (40-50)	12	370	Nickel matt
250#00270005000	Euro profile cylinder mm 90 (45-45)	12	370	Nickel matt
250#00280005000	Euro profile cylinder mm 95 (30-65)	12	380	Nickel matt
250#00290005000	Euro profile cylinder mm 95 (35-60)	12	380	Nickel matt
250#00310005000	Euro profile cylinder mm 95 (45-50)	12	380	Nickel matt
250#00320005000	Euro profile cylinder mm 100 (30-70)	12	410	Nickel matt
250#00330005000	Euro profile cylinder mm 100 (35-65)	12	410	Nickel matt
250#00340005000	Euro profile cylinder mm 100 (40-60)	12	410	Nickel matt
250#00350005000	Euro profile cylinder mm 100 (45-55)	12	410	Nickel matt
250#00360005000	Euro profile cylinder mm 100 (50-50)	12	410	Nickel matt
250#00400005000	Euro profile cylinder mm 110 (30-80)	12	420	Nickel matt



Patented cylinders

Y2S Series Euro profile cylinder

250#00410005000	Euro profile cylinder mm 110 (40-70)	12	420	Nickel matt
250#00430005000	Euro profile cylinder mm 110 (50-60)	12	420	Nickel matt
250#00480005000	Euro profile cylinder mm 120 (40-80)	6	430	Nickel satin
250#00590005000	Euro profile cylinder mm 140 (70-70)	6	430	Nickel satin
250#00780005000	Euro profile cylinder mm 110 (35-75)	12	420	Nickel satin
250#00840005000	Euro profile cylinder mm 120 (45-75)	6	430	Nickel satin
250#00850005000	Euro profile cylinder mm 130 (55-75)	6	430	Nickel satin


Y2S Series Single Euro profile cylinder

Specifications:

- Operated by internal and external key
- Suitable for European markets

Features:

- Nickel brass
- With 5 keys each
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



255#00100005000	Single euro profile cylinder mm 40 (30-10)	12	210	Nickel matt
255#00110005000	Single euro profile cylinder mm 45 (35-10)	12	215	Nickel matt
255#00120005000	Single euro profile cylinder mm 50 (40-10)	12	220	Nickel matt

Y2S Series


Euro profile cylinder with knob

Specifications:

- Operated by internal and external key
- Suitable for European markets

Features:

- Nickel brass
- With 5 keys each
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



				
2S1#00100005000	Euro profile cylinder with knob mm 60 (30-30)	6	305	Nickel matt
2S1#00120005000	Euro profile cylinder with knob mm 65 (30-35K)	6	320	Nickel matt
2S1#00140005000	Euro profile cylinder with knob mm 70 (35-35K)	6	355	Nickel matt
2S1#00180005000	Euro profile cylinder with knob mm 80 (50-30K)	6	400	Nickel matt
2S1#00200005000	Euro profile cylinder with knob mm 80 (40-40K)	6	400	Nickel matt
2S1#00230005000	Euro profile cylinder with knob mm 85 (45-40K)	6	400	Nickel matt
2S1#00240005000	Euro profile cylinder with knob mm 90 (60-30K)	6	440	Nickel matt
2S1#00260005000	Euro profile cylinder with knob mm 90 (50-40K)	6	440	Nickel matt
2S1#00270005000	Euro profile cylinder with knob mm 90 (45-45K)	6	440	Nickel matt
2S1#00290005000	Euro profile cylinder with knob mm 95 (60-35K)	6	445	Nickel matt
2S1#00340005000	Euro profile cylinder with knob mm 100 (60-40K)	6	450	Nickel matt
2S1#00360005000	Euro profile cylinder with knob mm 100 (50-50K)	6	450	Nickel matt
2S3#00120005000	Euro profile cylinder with knob mm 65 (00-35K)	6	320	Nickel matt
2S3#00130005000	Euro profile cylinder with knob mm 70 (30-40K)	6	355	Nickel matt
2S3#00160005000	Euro profile cylinder with knob mm 75 (30-45K)	6	355	Nickel matt
2S3#00170005000	Euro profile cylinder with knob mm 75 (35-40K)	6	355	Nickel matt
2S3#00180005000	Euro profile cylinder with knob mm 80 (30-50K)	6	400	Nickel matt
2S3#00220005000	Euro profile cylinder with knob mm 85 (35-50K)	6	415	Nickel matt
2S3#00230005000	Euro profile cylinder with knob mm 85 (40-45K)	6	415	Nickel matt
2S3#00260005000	Euro profile cylinder with knob mm 90 (40-50K)	6	440	Nickel matt
2S3#00340005000	Euro profile cylinder with knob mm 100 (40-60K)	6	450	Nickel matt

Y2S Series



Euro profile cylinder special axle

Specifications:

- Operated by internal and external key
- Suitable for European markets

Features:

- Nickel brass
- With 5 keys each
- 6 pins
- Fixing screws M5 X70
- Drill protection
- Key duplication controlled
- Key card for extra keys
- Front profile patent
- Keyed alike (KA) system
- Brass finish on request



				
2S2#00100005000	Euro profile cylinder special axle mm 60 (30-30P)	6	315	Nickel matt
2S2#00120005000	Euro profile cylinder special axle mm 65 (35-30P)	6	325	Nickel matt
2S2#00130005000	Euro profile cylinder special axle mm 70 (40-30P)	6	340	Nickel matt
2S2#00160005000	Euro profile cylinder special axle mm 75 (45-30P)	6	355	Nickel matt
2S2#00180005000	Euro profile cylinder special axle mm 80 (50-30P)	6	370	Nickel matt
2S2#00210005000	Euro profile cylinder special axle mm 85 (55-30P)	6	380	Nickel matt
2S2#00240005000	Euro profile cylinder special axle mm 90 (60-30P)	6	390	Nickel matt