



Overhead door closer

Overhead door closer 300 series


Light duty power selectable door closer.

Specifications:

- Casted aluminum body
- UL listed
- Non handed installation

Features:

- Rack and pinion mechanism
- Selectable class 2,3 & 4
- Adjustable closing and latching speed
- Max door width: 1100mm
- Max door weight: 80 kg
- Can be installed with standard or hold open arm and PA bracket
- Hold open type should not be installed on fire doors
- Available in silver, white, brown, black & gold



2	850mm	40 kg
3	950mm	60 kg
4	1100mm	80 kg

30-0300-0001-00-50-11	Power selectable door closer including standard arm	1	1.74	White
30-0300-0001-00-55-11	Power selectable door closer including standard arm	1	1.74	Black
30-0300-0001-00-60-11	Power selectable door closer including standard arm	1	1.74	Silver
30-0300-0001-00-65-11	Power selectable door closer including standard arm	1	1.74	Gold
30-0300-0001-00-75-11	Power selectable door closer including standard arm	1	1.74	Brown
30-0300-0004-00-50-11	Power selectable door closer including hold open arm	1	1.85	White
30-0300-0004-00-55-11	Power selectable door closer including hold open arm	1	1.85	Black
30-0300-0004-00-60-11	Power selectable door closer including hold open arm	1	1.85	Silver
30-0300-0004-00-65-11	Power selectable door closer including hold open arm	1	1.85	Gold
30-0300-0004-00-75-11	Power selectable door closer including hold open arm	1	1.85	Brown



Overhead door closer

Overhead door closer 3000 series


Medium duty CE marked fixed power size door closer.
Available on the demand in the Middle East.

Specifications:

- Casted aluminum body
- CE marked
- Non handed installation

Features:

- Rack and pinion mechanism
- Fixed Power Size 3
- Max door width: 950mm
- Max door weight: 60 kg
- Adjustable closing and latching speed
- Can be installed with standard or hold open arm and PA bracket
- Hold open type should not be installed on fire doors
- Available in silver, white, brown, black & gold



EN 3	950mm	60 kg

30-3000-0001-00-50-11	Fixed power size door closer including standard arm	1	1.74	White
30-3000-0001-00-55-11	Fixed power size door closer including standard arm	1	1.74	Black
30-3000-0001-00-60-11	Fixed power size door closer including standard arm	1	1.74	Silver
30-3000-0001-00-65-11	Fixed power size door closer including standard arm	1	1.74	Gold
30-3000-0001-00-75-11	Fixed power size door closer including standard arm	1	1.74	Brown
30-3000-0004-00-50-11	Fixed power size door closer including hold open arm	1	1.85	White
30-3000-0004-00-55-11	Fixed power size door closer including hold open arm	1	1.85	Black
30-3000-0004-00-60-11	Fixed power size door closer including hold open arm	1	1.85	Silver
30-3000-0004-00-65-11	Fixed power size door closer including hold open arm	1	1.85	Gold
30-3000-0004-00-75-11	Fixed power size door closer including hold open arm	1	1.85	Brown



Overhead door closer

Overhead door closer 4000 series


Medium duty CE marked power selectable door closer

Specifications:

- Casted aluminum body
- CE marked
- Non handed installation

Features:

- Rack and pinion mechanism
- Selectable size 2,3 & 4
- Max door width: 1100mm
- Max door weight: 80 kg
- Adjustable closing and latching speed
- Can be installed with standard or hold open arm and PA bracket
- Hold open type should not be installed on fire doors
- Available in silver, white, brown, black & gold



EN 2	850mm	40 kg
EN 3	950mm	60 kg
EN 4	1100mm	80 kg

30-4000-0001-00-50-11	Power selectable door closer including standard arm	1	1.62	White
30-4000-0001-00-55-11	Power selectable door closer including standard arm	1	1.62	Black
30-4000-0001-00-60-11	Power selectable door closer including standard arm	1	1.62	Silver
30-4000-0001-00-65-11	Power selectable door closer including standard arm	1	1.62	Gold
30-4000-0001-00-75-11	Power selectable door closer including standard arm	1	1.62	Brown
30-4000-0004-00-50-11	Power selectable door closer including hold open arm	1	1.7	White
30-4000-0004-00-55-11	Power selectable door closer including hold open arm	1	1.7	Black
30-4000-0004-00-60-11	Power selectable door closer including hold open arm	1	1.7	Silver
30-4000-0004-00-65-11	Power selectable door closer including hold open arm	1	1.7	Gold
30-4000-0004-00-75-11	Power selectable door closer including hold open arm	1	1.7	Brown



Overhead door closer

Overhead door closer 5000 series


Medium duty CE marked power selectable door closer.
Available on demand in the Middle East.

Specifications:

- Casted aluminum body
- CE marked
- Non handed installation

Features:

- Rack and pinion mechanism
- Selectable size 2,3 & 4
- Max door width: 1100mm
- Max door weight 80 kg
- Adjustable closing and latching speed
- A built-in pressure relief valve protects the closer against abuse
- Can be installed with standard or hold open arm and PA bracket
- Hold open type should not be installed on fire doors
- Available in silver, white, brown, black & gold



EN 2	850mm	40 kg
EN 3	950mm	60 kg
EN 4	1100mm	80 kg

30-5000-0001-00-50-11	Power selectable door closer including standard arm	1	2.1	White
30-5000-0001-00-55-11	Power selectable door closer including standard arm	1	2.1	Black
30-5000-0001-00-60-11	Power selectable door closer including standard arm	1	2.1	Silver
30-5000-0001-00-65-11	Power selectable door closer including standard arm	1	2.1	Gold
30-5000-0001-00-75-11	Power selectable door closer including standard arm	1	2.1	Brown
30-5000-0004-00-50-11	Power selectable door closer including hold open arm	1	2.32	White
30-5000-0004-00-55-11	Power selectable door closer including hold open arm	1	2.32	Black
30-5000-0004-00-60-11	Power selectable door closer including hold open arm	1	2.32	Silver
30-5000-0004-00-65-11	Power selectable door closer including hold open arm	1	2.32	Gold
30-5000-0004-00-75-11	Power selectable door closer including hold open arm	1	2.32	Brown



Overhead door closer

Overhead door closer 7000 series



CE marked heavy duty power adjustable door closer

Specifications:

- Casted aluminum body
- CE marked
- Non handed installation

Features:

- Rack and pinion mechanism
- Adjustable power size class 2 to 6
- Max door width: 1400mm
- Max door weight: 120 kg
- Adjustable closing and latching speed
- Adjustable back check
- A built-in pressure relief valve protects the closer against abuse
- Can be installed with standard or hold open arm and PA bracket
- Hold open type should not be installed on fire doors
- Available in silver, white, brown, black & gold



EN 2	850mm	40 kg
EN 3	950mm	60 kg
EN 4	1100mm	80 kg
EN 5	1250mm	100 kg
EN 6	1400mm	120 kg

30-7000-0001-00-50-11	Power adjustable door closer including standard arm	1	3.36	White
30-7000-0001-00-55-11	Power adjustable door closer including standard arm	1	3.36	Black
30-7000-0001-00-60-11	Power adjustable door closer including standard arm	1	3.36	Silver
30-7000-0001-00-65-11	Power adjustable door closer including standard arm	1	3.36	Gold
30-7000-0001-00-75-11	Power adjustable door closer including standard arm	1	3.36	Brown
30-7000-0004-00-50-11	Power adjustable door closer including hold open arm	1	3.44	White
30-7000-0004-00-55-11	Power adjustable door closer including hold open arm	1	3.44	Black
30-7000-0004-00-60-11	Power adjustable door closer including hold open arm	1	3.44	Silver
30-7000-0004-00-65-11	Power adjustable door closer including hold open arm	1	3.44	Gold
30-7000-0004-00-75-11	Power adjustable door closer including hold open arm		3.44	Brown



Overhead door closer


Overhead door closer 722 series

Specifications:

- Selectable force UL 2-4 adjustable closing speed

Features:

- Rack and pinion mechanism
- Body in cast aluminum and steel arm design for easy instalation small ledge on doors with wall adjacent 90 °
- Closing speed and latching action
- Adjustable via lateral regulating values
- Equipped with link arm
- Max door weight: 80 kg



2	850mm	40 kg
3	950mm	60 kg
4	1100mm	80 kg

7221220052	Overhead door closer variable force	1	170	Black
7221220053	Overhead door closer variable force	1	170	White
7221220056	Overhead door closer variable force	1	170	Brown
7221220057	Overhead door closer variable force	1	170	Silver
7221220058	Overhead door closer variable force	1	170	Gold



Overhead door closer



Overhead door closer 797 series

Specifications:

- With helical spring

Features:


- Crank and piston mechanism
- Closing force: 1|2|3|4
- Door width 750: 1100
- Fixed closing size: 1-2-3-4



Dim	1	2	3	4
A	123	123	140	140
B	57	57	71	71
C	76	86	92	105
D	19	23	28	21
E	80	80	80	80
F	40	40	40	40

7970001058	Overhead door closer without hold-open device. Power size 1, door width 900mm	1	3790	Gold
7970002058	Overhead door closer without hold-open device. Power size 2, door width 1050mm	1	4410	Gold
7970003058	Overhead door closer without hold-open device. Power size 3, door width 1200mm	1	5210	Gold
7970004058	Overhead door closer without hold-open device. Power size 4, door width 1400mm	1	7320	Gold

Overhead door closer Springs for 797 series



07978101	Spare spring for 797 door closer series - Size 1	1	230
07978102	Spare spring for 797 door closer series - Size 2	1	320
07978103	Spare spring for 797 door closer series - Size 3	1	460
07978104	Spare spring for 797 door closer series - Size 4	1	760