

## Euro Profile Horizontal Mortice Lock

# L2049

### Application:

- For timber doors hinged on the left or right
- Also suitable for steel & composite doors - special fixings required

### Operation:


- Deadbolt is locked or unlocked by euro profile cylinder key or cylinder turn - such as 2X19
- Latch bolt is withdrawn by knob or sprung lever handle from either side
- Reversible latch bolt
- Pierced to accept bolt through furniture

### Specification:

Reference	L2049 (lock case & strike plate)
Case Size	149mm (6")
Backset	51mm cylinder 127mm follower
Case	Steel, silver powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match outer forend
Deadbolt	Brass with hardened steel rollers
Latch Bolt	Brass, reversible
Follower	8mm square. Two way action
Rebate Kit	2939 (13mm, 19mm or 25mm)
Cylinder Type	Euro profile (not supplied)

### Features:

- Reversible latch bolt
- Available with square forend and striking plate



### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish


### Standards:



- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J L2049 - PL - 6.00 (case & strike plate only)  
(Boxed - Product Code - Finish - Case Size)



## Euro Profile Mortice Sash Lock

# 2249/L2249

### Application:


- For timber doors hinged on the left or right
- Also suitable for steel & composite doors - special fixings required

### Operation:

- Deadbolt is locked or unlocked by euro profile cylinder
- Latch bolt can be withdrawn by lever handle
- Pierced to accept bolt through furniture
- 2249 supplied with 2X19 cylinder

### Specification:

Reference	L2249 (sash lock case & strike plate)
Case Size	65mm (2.5") or 77.5mm (3")
Backset	44.5mm or 57mm
Case	Steel, silver powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match forend
Deadbolt	Brass with hardened steel rollers
Latch Bolt	Brass, reversible
Follower	Brass, 8mm square
Rebate Kit	2979 (13mm, 19mm or 25mm)
Cylinder Type	2249 supplied with 2X19 cylinder L2249 euro profile (not supplied)



### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish

### Standards:




- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J L2249 - PL - 2.50 (case & strike plate only)  
J 2249 - PL - 2.50 (complete with 2X19 cylinder)  
(Boxed - Product Code - Finish - Case Size)

### Features:

- Modular case range
- Reversible latch bolt
- Available with square forend and striking plate



## Euro Profile Mortice Deadlock

# 2149/L2149

### Application:

- For timber doors hinged on the left or right
- Also suitable for steel & composite doors - special fixings required

### Operation:

- Deadbolt is locked or unlocked by euro profile cylinder
- 2149 supplied with 2X19 cylinder

### Specification:

Reference	L2149 (lock case & strike plate)
Case Size	65mm (2.5") or 77.5mm (3")
Backset	44.5mm or 57mm
Case	Steel, silver powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match outer forend
Deadbolt	Brass with hardened steel rollers
Latch Bolt	n/a
Follower	n/a
Rebate Kit	2919 (13mm, 19mm or 25mm)
Cylinder Type	2149 supplied with 2X19 cylinder L2149 euro profile (not supplied)

### Features:

- Modular case range
- Available with square forend and striking plate



### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish


### Standards:



- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J L2149 - PL - 2.50 (case & strike plate only)  
J 2149 - PL - 2.50 (complete with 2X19 cylinder)  
(Boxed - Product Code - Finish - Case Size)



## Euro Profile Small Case Deadlock

# 2169/L2169

### Application:

- For timber doors hinged on the left or right
- Also suitable for steel & composite doors - special fixings required

### Operation:

- Deadbolt is locked or unlocked by euro profile cylinder
- 2169 supplied with 2X19 cylinder

### Specification:

Reference	L2169 (lock case & strike plate)
Case Size	65mm (2.5") or 77.5mm (3")
Backset	44.5mm or 57mm
Case	Steel, silver enamelled
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match outer forend
Deadbolt	Brass with hardened steel rollers
Latch Bolt	n/a
Follower	n/a
Rebate Kit	2969 (13mm, 19mm or 25mm)
Cylinder Type	2169 supplied with 2X19 cylinder L2169 euro profile (not supplied)

### Features:

- Available with square forend and striking plate



### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish


### Standards:



- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J L2169 - PL - 2.50 (case & strike plate only)  
J 2169 - PL - 2.50 (complete with 2X19 cylinder)  
(Boxed - Product Code - Finish - Case Size)



## Euro Profile Escape Mortice Deadlock

# L21492

### Application:

- For timber doors hinged on the left or right, requiring a single action escape function on the inside
- Also suitable for steel & composite doors - special fixings required

### Operation:

- Deadbolt locked or unlocked by euro profile cylinder from outside
- Deadbolt locked or unlocked by either a separate turn snib, short handle\* or 8070 emergency exit covered turn

### Specification:


Reference	L21492 (lock case & strike plate)
Case Size	77.5mm (3")
Backset	57mm
Case	Steel, silver powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match forend
Deadbolt	Brass, with hardened steel rollers
Latch Bolt	n/a
Follower	Brass, 8mm square
Rebate Kit	2912 (13mm, 19mm or 25mm)
	Handed
Cylinder Type	Euro profile (not supplied)

### NB:

- \*Advice should be sought before specifying lever handles
- Must not be used with turn operated cylinders

### Features:

- Available with square forend and striking plate



### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish

### Standards:




- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J L21492 - PL - 3.00

(Boxed - Product Code - Finish - Case Size)



## Euro Profile Mortice Night Latch

# 2349/L2349

### Application:

- For timber doors hinged on the left or right
- Also suitable for steel & composite doors - special fixings required

### Operation:

- Latch bolt withdrawn by euro profile cylinder from outside and sprung lever handle or separate turn from inside
- Latch bolt is held in the withdrawn position by use of special key supplied (7126-30)
- Reversible latch bolt
- Cylinder options - single cylinder or key and key
- Latch bolt is automatically locked against end pressure by the anti-thrust bolt
- 2349 supplied with 2X20 cylinder

### Specification:

Reference	L2349 (lock case & strike plate)
Case Size	77.5mm (3")
Backset	57mm
Case	Steel, silver powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match forend
Deadbolt	n/a
Latch Bolt	Brass, reversible
Follower	Steel, 8mm square
Rebate Kit	2942 (13mm, 19mm or 25mm)
Cylinder Type	2349 supplied with 2X20 cylinder L2349 euro profile (not supplied)

### Features:

- Reversible latch bolt
- Available with square forend and striking plate



### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish


### Standards:



- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J - L2349 - PL - 3.00 (case & strike plate only)  
J - 2349 - PL - 3.00 (complete with 2X20 cylinder)  
(Boxed - Product Code - Finish - Case Size)



## Euro Profile Escape Night Latch Sash Lock

"Green Lock"

224402  
L224402

### Application:

- For timber doors hinged on the left or right, requiring a single action escape function on the inside
- Also suitable for steel & composite doors - special fixings required
- Hand must be stated on order

### Operation:


- Deadbolt can be locked for additional security
- Deadbolt locked or unlocked by euro profile cylinder from outside or by cylinder key or turn from inside
- Latch bolt withdrawn by cylinder key from outside or by lever handle from inside
- Latch bolt automatically locks when door is closed
- Deadbolt and latch bolt withdrawn simultaneously by inside lever handle
- 224402 supplied with 2x19 cylinder and turn

### Specification:

Reference	L224402 case only 224402 complete with 2x19 cylinder
Case Size	79.5mm (3")
Backset	57.5mm
Case	Steel, green powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match forend
Deadbolt	Brass, with hardened steel rollers
Latch Bolt	Brass, not reversible
Follower	Brass, 8mm square
Rebate Kit	2968 (13mm, 19mm or 25mm)
Cylinder Type	224402 supplied with 2x19 cylinder L224402 euro profile (not supplied)

### NB:

- Lever handle must NOT be used on outside - only fixed pull or separate pull handle



### Features:

- Modular case range
- Available with square forend and striking plate
- Recommended for use with 630-16-3 furniture

### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish

### Standards:



- For BS EN179 and CE compliance see set on page 9B.5
- EN 1634-1 assessed for use on 60 minutes timber fire doors


### Ordering Code Example:

J L224402 - PL - LH

(Boxed - Product Code - Finish - Handing)

J 224402 - PL - LH - AA

(Boxed - Product Code - Finish - Handing - cylinder length)



## Euro Profile Escape Mortice Lock - inward opening

"Green Lock"


L224403  
L224404

### Application:

- For timber doors hinged on the left or right, requiring a single action escape function on the inside
- Also suitable for steel & composite doors - special fixings required
- Suitable for inward opening doors
- Hand must be stated on order

### Operation:

- Deadbolt locked or unlocked by euro profile cylinder from outside or by key or turn from inside
- Latch bolt withdrawn by lever handle from either side
- Deadbolt and latch bolt withdrawn simultaneously by inside lever handle



### Specification

Reference	L224403 - left hand L224404 - right hand
Case Size	79.5mm (3")
Backset	57.5mm
Case	Steel, green powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match forend
Deadbolt	Brass, with hardened steel rollers
Latch Bolt	Brass
Follower	Brass, 8mm square
Rebate Kit	2968 (13mm, 19mm or 25mm)
Cylinder Type	Euro profile (not supplied)

### Finishes

- SC - Satin Chrome finish
- PL - Polished Brass finish

### Standards:




- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J L224403 - PL  
(Boxed - Product Code - Finish)

### Features:

- Available with square forend and striking plate
- Split follower lock requires special furniture: 630-15-3



## Euro Profile Escape Mortice Lock - outward opening "Green Lock"

L224405  
L224406

### Application:

- For timber doors hinged on the left or right, requiring a single action escape function on the inside
- Also suitable for steel & composite doors - special fixings required
- Suitable for outward opening doors

### Operation:


- Deadbolt locked or unlocked by euro profile cylinder from outside or by key or turn from inside
- Latch bolt withdrawn by lever handle from either side
- Deadbolt and latch bolt withdrawn simultaneously by inside lever handle

### Specification:

Reference	L224405 - left hand L224406 - right hand
Case Size	79.5mm (3")
Backset	57.5mm
Case	Steel, green powder coat
Outer Forend	Stainless steel or brass
Striking Plate	Finished to match forend
Deadbolt	Brass, with hardened steel rollers
Latch Bolt	Brass
Follower	Brass, 8mm square
Rebate Kit	2968 (13mm, 19mm or 25mm)
Cylinder Type	Euro profile (not supplied)

### Features:

- Available with square forend and striking plate
- Split follower lock requires special furniture: 630-15-3



### Finishes:

- SC - Satin Chrome finish
- PL - Polished Brass finish

### Standards:




- For BS EN179 and CE compliance see set on page 9B.6
- EN 1634-1 assessed for use on 60 minutes timber fire doors

### Ordering Code Example:

J L224405 - PL

(Boxed - Product Code - Finish)



For your reference