

Round Bar Lever Long Latch

630 Series

Application:

- Suitable for use with the majority of UK size and Silver Series lockcases
- Bolt through fixings
- Please specify hand when ordering

Operation:

- Sprung lever handle mechanism

Specification:

Reference	630-96-3 Long Latch Plate
	630-94-3 Short Latch Plate
	630-06-3 Lock Plate
	630-26-3 Euro Plate
	630-46-3 Oval Plate
	630-66-3 Bathroom Plate
Material	Aluminium
Plate Projection	11mm
Plate Length	155mm/116mm
Plate Width	41mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium
- Return to door



Finishes:

- AS - Anodised Silver
- AG - Anodised Gold (26 variant only)

Standards:




- Successfully tested to 200,000 cycles.
- Assists in fulfilling duties required under the Disability Discrimination Act (DDA). Satisfies recommendations of BS8300 and Approved Document M (ADM) - subject to use on a contrasting background

Ordering Code Example:

J - 630 - 06 - 3 - LH - AS

(Boxed - Product Code - Handing - Finish)



Lever / Lever Escape Furniture

630-15-3

Application:

- Suitable for use with UNION JL224403/4/5/6 Escape Locks
- Split spindle for function flexibility
- Euro-profile backplate only
- Bolt-through fixings
- Please specify hand when ordering

Operation:

- Lever/lever handle mechanism
- Sprung handle mechanism to suit 224403/4/5/6 Escape Lock



Specification:

Reference	630-15-3-LH - Left Handed 630-15-3-RH - Right Handed
Material	Aluminium
Plate Projection	11mm
Plate Length	155mm
Plate Width	41mm
Spindle	Steel, 8mm, square

For complete Escape Lock Set see Section 9 - Exit Hardware.

Features:

- Manufactured from aluminium
- Return to door

Finishes:

- AS - Anodised Silver
- AG - Anodised Gold


Standards:



- Successfully tested to 200,000 cycles.
- Assists in fulfilling duties required under the Disability Discrimination Act (DDA). Satisfies recommendations of BS8300 and Approved Document M (ADM) - subject to use on a contrasting background

Ordering Code Example:

J - 630 - 15 - 3 - LH - AS
(Boxed - Product Code - Handing - Finish)



Lever / Pull Night Latch Sash Lock Furniture 630-16-3

Application:

- Suitable for use with UNION JL224402 Escape Locks
- Euro-profile backplate only
- Bolt-through fixings
- Please specify hand when ordering

Operation:

- Lever handle/fixd pull mechanism
- Sprung handle mechanism from inside to suit JL224402 Escape Lock
- Fixed pull outside

Specification:

Reference	630-16-3-LH - Left Handed 630-16-3-RH - Right Handed
Material	Aluminium
Plate Projection	11mm
Plate Length	155mm
Plate Width	41mm
Spindle	Steel, 8mm, square

For complete Escape Lock Set see Section 9 - Exit Hardware.

Features:

- Manufactured from aluminium
- Return to door



Finishes:

- AS - Anodised Silver
- AG - Anodised Gold


Standards:



- Successfully tested to 200,000 cycles.

Ordering Code Example:

J - 630 - 16 - 3 - LH - AS
(Boxed - Product Code - Handing - Finish)



Round Bar Vertical/Horizontal Rose

630-91

Application:

- Suitable for use with the majority of UK size and Silver Series lockcases
- Bolt-through fixings
- Non-handed

Operation:

- Sprung lever handle mechanism

Specification:

Reference	630-91-3 - vertical fixings 630-91-4 - horizontal fixings
Material	Aluminium
Plate Projection	11mm
Rose diameter	54mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium
- Return to door



Finishes:

- AS - Anodised Silver


Standards:



- Assists in fulfilling duties required under the Disability Discrimination Act (DDA). Satisfies recommendations of BS8300 and Approved Document M (ADM) - subject to use on a contrasting background

Ordering Code Example:

J - 630-91-3 - AS
(Boxed - Product Code - Finish)



Raven

643 Series

Application:

- Suitable for use with the majority of UK size and Silver Series lockcases
- Wood screw and bolt through fixings supplied
- Bolt through fixings suitable for timber & metal doors
- Please specify hand when ordering bathroom sets

Operation:

- Sprung lever handle mechanism

Specification:

Reference	643-06-2 Lock Plate
	643-94-2 Short Latch Plate
	643-64-2 Bathroom Short Plate*
	643-26-2 Euro Plate
	643-46-2 Oval Plate
	643-66-2 Bathroom Plate

Material	Aluminium with black plastic moulded end caps
Plate Projection	11mm
Plate Length	160mm/120mm
Plate Width	41mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium

Packaging:

- Available Boxed or Visi Packed
- * boxed only



Finishes:

- AS - Anodised Silver

Standards:



- Successfully tested to 200,000 cycles.


Ordering Code Example:

J - 643 - 66 - 2 - LH - AS

(Boxed - Product Code - Handing - Finish)

Y - 643 - 06 - 2 - AS

(Visi packed - Product Code - Finish)



Teal

644 Series

Application:

- Suitable for use with the majority of UK size and Silver Series lockcases
- Wood screw and bolt through fixings supplied
- Bolt through fixings suitable for timber & metal doors
- Please specify hand when ordering bathroom sets

Operation:

- Sprung lever handle mechanism

Specification:

Reference	644-94-2 Short Latch Plate 644-07-2 Lock Plate 644-47-2 Oval Plate 644-67-2 Bathroom Plate
Material	Aluminium
Plate Projection	11mm
Plate Length	178/117.5mm
Plate Width	42mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium



Finishes:

- AS - Anodised Silver
- AG - Anodised Gold (07 variant only)

Standards:




- Successfully tested to 200,000 cycles.

Ordering Code Example:


J - 644 - 67 - 2 - LH - AS

(Boxed - Product Code - Handing - Finish)


644-94-2




644-07-2



644-47-2



644-67-2



Phoenix

645 Series

Application:

- Suitable for use with the majority of UK size and Silver Series lockcases
- Bolt-through fixings
- Please specify hand when ordering
- Phoenix design now incorporates a modified straight design handle

Operation:

- Sprung lever handle mechanism

Specification:

Reference	645-96-3 Long Latch Plate
	645-94-3 Short Latch Plate
	645-06-3 Lock Plate
	645-26-3 Euro Plate
	645-46-3 Oval Plate
	645-66-3 Bathroom Plate
Material	Aluminium
Plate Projection	11mm
Plate Length	155mm/117mm
Plate Width	41mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium

Packaging:

- Available Boxed or Visi Packed



Finishes:

- AS - Anodised Silver

Standards:



- Successfully tested to 200,000 cycles.


Ordering Code Example:

J - 645 - 06 - 3 - LH - AS

(Boxed - Product Code - Handing - Finish)

Y - 645 - 06 - 3 - LH - AS

(Visi packed - Product Code - Handing - Finish)



Martin

680 Series

Application:

- Suitable for use with the majority of lever Mortice Locks
- Wood screw fixings
- Please specify hand when ordering bathroom sets
- Also available as a complete lockset

Operation:

- Sprung lever handle mechanism

Specification:

Reference	680-93-2 Short Plate
	680-06-2 Lock Plate
	680-66-2 Bathroom Plate

Material	Aluminium
Plate Projection	13mm
Plate Length	156mm
Plate Width	42mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium
- Return to door



Finishes:

- AS - Anodised Silver

Standards:




- Successfully tested to 200,000 cycles.

Ordering Code Example:


J - 680 - 66 - 2 - LH - AS

(Boxed - Product Code - Handing - Finish)



680-93-2



680-06-2



680-66-2



Handle measurements
applicable to all models

Swallow

681 Series

Application:

- Suitable for use with the majority of lever Mortice Locks
- Wood screw fixings
- Please specify hand when ordering bathroom sets

Operation:

- Sprung lever handle mechanism

Specification:

Reference	681-94-2 Short Plate 681-06-2 Lock Plate 681-66-2 Bathroom Plate
Material	Aluminium
Plate Projection	9mm
Plate Length	152/95mm
Plate Width	41mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium

Packaging:

- Available Boxed or Visi Packed



Finishes:

- AS - Anodised Silver
- AG - Anodised Gold (06 and 94 variants only)

Standards:



- Successfully tested to 200,000 cycles.

Ordering Code Example:


J - 681 - 66 - 2 - RH - AS

(Boxed - Product Code - Handing - Finish)


Y - 681 - 06 - 2 - AS

(Visi packed - Product Code - Finish)


681-94-2



681-06-2



681-66-2



Ambassador Furniture (formerly Wellington range)

366

Application:

- Suitable for use with the majority of lever Mortice Locks
- Bolt-through and wood screw fixings
- Non-handed
- Also available as a complete lockset

Operation:

- Sprung lever handle mechanism

Specification:

Reference	366BL Locking Lever Set 366LA Short Latch Plate 366LO Lock Plate 366PE Euro Plate 366PO Oval Plate 366PB Bathroom Set
Material	Aluminium with black plastic moulded end caps
Handle Length	100mm
Handle Projection	43mm
Spindle	Steel, 8mm, square

Features:

- Manufactured from aluminium
- Return to door



Finishes:

- AS - Anodised Silver
- AG - Anodised Gold

Standards:




Ordering Code Example:

J 366LA - AS

(Boxed - Product Code - Finish)

Y 366LA - AS

(Visi Packed - Product Code - Finish)



Ambassador Furniture (formerly Wellington range) 33RR

Application:

- Suitable for use with the majority of Mortice Locks
- Bolt-through and wood screw fixings
- Non-handed

Operation:

- Sprung lever handle mechanism

Specification:

Reference	33RR-V - vertical fixing 33RR-H - horizontal fixing
Material	Aluminium
Handle Projection	44mm
Rose Diameter	55mm
Spindle	Steel, 8mm, square



Features:

- Manufactured from aluminium
- Return to door

Finishes:

- AS - Anodised Silver
- AG - Anodised Gold (33R-V only)


Standards:



Ordering Code Example:

J 33RR - V - AS

(Boxed - Product Code - Finish)



Facility Furniture (formerly Wellington range)

37651

Application:

- Suitable for toilet / bathroom doors where ease of operation is desired
- Suitable for hinged and sliding doors
- Surface mounted
- Bolt-through fixing - can be fitted directly to cubicle or flush panel door
- Exterior pull may be fitted at 90, 180, 270 or 360°
- Hand must be stated when ordering

Operation:

- Lever mechanism
- Locking bolt connected directly to lever handle at 90°
- Vertical position of lever handle bolts door, can be seen by occupant
- Lever handle travel limited to 30° by screw through centre of backplate - can be increased to 90° by removing screw

Specification:

Reference	37651L - Left Handed 37651R - Right Handed
Material	Aluminium with black plastic moulded end caps
Handle Projection	77mm
Plate Projection	44mm
Bolt Length	41mm

N.B:

- Hand must be stated when ordering



Features:

- Red and white occupancy signal
- Coin operated emergency release

Finishes:

- AS - Anodised Silver
- AG - Anodised Gold

Standards:




- Assists in fulfilling duties required under the Disability Discrimination Act (DDA). Satisfies recommendations of BS8300 and Approved Document M (ADM)

Ordering Code Example:

J 37651L - AS

(Boxed - Product Code - Hand - Finish)



Cabinet Handle

5100-04

Application:

- Suitable for wooden or metal cabinet doors or drawers
- Concealed bolt-through fixing

Specification:

Reference	5100-04
Handle Length	105.5mm
Fixing Point Distance	95.5mm

Features:

- Manufactured from aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5100 - 04 - AS

(Boxed - Product Code - Finish)

Euro Profile Escutcheon

5163

Application:

- Suitable for use with euro-profile locks

Specification:

Reference	5163
Diameter	45mm
Projection	5mm
Material	Aluminium alloy

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5163 - AS

(Boxed - Product Code - Finish)

Also available as oval profile escutcheon reference

J 5162 - AS

Keyhole Escutcheon (formerly Wellington range)

3L

Application:

- Keyhole escutcheon
- Suitable for use with rim or mortice locks
- Concealed fixings

Specification:

Reference	3L
Diameter	32mm
Projection	5mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 3L - AS

(Boxed - Product Code - Finish)

Covered Keyhole Escutcheon

5340

Application:

- For use with rim or mortice locks

Specification:

Reference	5340
Diameter	32mm
Projection	6.5mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5340 - AS

(Boxed - Product Code - Finish)

Rim Cylinder Door Pull

5524

Application:

- Suitable for wooden doors and for use with rim cylinders

Specification:

Reference	5524
Width	43mm
Length	88mm
Hole Diameter	32mm
Projection	31mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5524 - AS
(Boxed - Product Code - Finish)

Oval Cylinder Door Pull

5527

Application:

- Suitable for wooden doors and for use with oval cylinders

Specification:

Reference	5527
Width	43mm
Length	88mm
Oval Width	18mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5527 - AS
(Boxed - Product Code - Finish)

Rectangular Flush Pull

5570

Application:

- Suitable for wooden sliding doors

Specification:

Reference	5570
Width	51mm
Length	101.5mm
Projection	16mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5570 - AS

(Boxed - Product Code - Finish)

Letter Plate

5620

Application:

- For wooden doors between 35 and 60mm thick
- Supplied with bolt-through fixings

Specification:

Reference	5620
Height	76mm
Width	268mm
Total Projection	8mm
Material	Aluminium with moulded black plastic fixing trim

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5620 - 268 - AS

(Boxed - Product Code - Width - Finish)

Letter Plate with Gravity Flap

5621

Application:

- For wooden doors between 35 and 60mm thick
- Supplied with bolt-through fixings

Specification:

Reference	5621
Height	76mm
Width	268mm
Total Projection	19mm (including 11mm Gravity Flap)
Material	Aluminium with moulded black plastic fixing trim

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5621 - 268 - AS

(Boxed - Product Code - Width - Finish)

Letter Plate with Postal Kocker

5622

Application:

- For wooden doors between 35 and 60mm thick
- Supplied with bolt-through fixings

Specification:

Reference	5622
Height	76mm
Width	268mm
Total Projection	26mm (including 18mm Postal Kocker)
Material	Aluminium with moulded black plastic fixing trim

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5622 - 268 - AS

(Boxed - Product Code - Width - Finish)

Letter Plate with Spring Flap

5650

Application:

- Suitable for wooden doors between 35 and 60mm thick
- Supplied with bolt-through fixings

Reference	5650
Height	76mm
Width	330mm
Total Projection	8mm
Material	Aluminium with moulded black plastic fixing trim

Finishes:

- AS - Anodised Silver
- AG - Anodised Gold



Ordering Code Example:

J 5650 - 330 - AS
(Boxed - Product Code - Width - Finish)

Letter Plate with Gravity Flap

5651

Application:

- For wooden doors between 35 and 60mm thick
- Supplied with bolt-through fixings

Specification:

Reference	5651
Height	76mm
Width	330mm
Total Projection	19mm (including 11mm Gravity Flap)
Material	Aluminium with moulded black plastic fixing trim

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5651 - 330 - AS
(Boxed - Product Code - Width - Finish)

Letter Plate with Postal Kocker

5652

Application:

- For wooden doors between 35 and 60mm thick
- Supplied with bolt-through fixings

Specification:

Reference	5652
Height	76mm
Width	330mm
Total Projection	26mm (including 18mm Postal Kocker)
Material	Aluminium with moulded black plastic fixing trim

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5652 - 330 - AS

(Boxed - Product Code - Width - Finish)

Fire Resistant Set

5751

Application:

- Suitable for use on 30 minute fire doors

Specification:

Reference	5751
Height	100mm
Width	330mm
Material	Aluminium with moulded black plastic fixing trim

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 5751 - AS

(Boxed - Product Code - Finish)

10" Concord Letter Plate (formerly Wellington range) 6K10

Application:

- 10" Concord letter plate
- With spring flap

Specification:

Reference	6K10
Height	80mm
Width	10"/257mm
Fixing Centres	240mm
Cut-out Width	203mm
Cut-out Height	45mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 6K10 - AS

(Boxed - Product Code - Size - Finish)

12" Concord Letter Plate (formerly Wellington range) 6K12

Application:

- 12" Concord letter plate
- With spring flap

Specification:

Reference	6K12
Height	79mm
Width	12"/318mm
Fixing Centres	300mm
Cut-out Width	254mm
Cut-out Height	38mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 6K12 - AS

(Boxed - Product Code - Finish)

Hat & Coat Hook

8704

Specification:

Reference	8704
Width	18mm
Height	69mm
Projection Upper	77mm
Projection Lower	35mm
Material	Aluminium with black rubber buffer

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8704 - AS
(Boxed - Product Code - Finish)

Hat & Coat Hook

8710

Specification:

Reference	8710
Width	18mm
Height	110.5mm
Projection Upper	66.5mm
Projection Lower	36mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8710 - AS
(Boxed - Product Code - Finish)

Multi-connector Unit (formerly Wellington range)

8100

Application:

- Maintains hook centres

Specification:

Reference	8100
Width	45mm
Length	100mm
Material	Aluminium with black plastic moulding

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8100 - AS

(Boxed - Product Code - Finish)

Single Hat & Coat Hook Multi-rack (formerly Wellington range)

8101

Application:

- Single hook unit
- Concealed fixings

Specification:

Reference	8101
Unit Length	50mm
Unit Height	45mm
Projection	70mm
Material	Aluminium with black plastic moulding

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8101 - AS

(Boxed - Product Code - Finish)

Two Hat & Coat Hook Multi-rack (formerly Wellington range)

8102

Application:

- Two hook multi-rack

Specification:

Reference	8102
Unit Length	200mm
Unit Height	45mm
Projection	70mm
Material	Aluminium with black plastic moulding

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8102 - AS
(Boxed - Product Code - Finish)

Three Hat & Coat Hook Multi-rack (formerly Wellington range)

8103

Application:

- Three hook multi-rack

Specification:

Reference	8103
Unit Length	350mm
Unit Height	45mm
Projection	70mm
Material	Aluminium with black plastic moulding

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8103 - AS
(Boxed - Product Code - Finish)

Four Hat & Coat Hook Multi-rack (formerly Wellington range)

8104

Application:

- Four hook multi-rack

Specification:

Reference	8104
Unit Length	500mm
Unit Height	45mm
Projection	70mm
Material	Aluminium with black plastic moulding

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8104 - AS

(Boxed - Product Code - Finish)

Five Hat & Coat Hook Multi-rack (formerly Wellington range)

8105

Application:

- Five hook unit

Specification:

Reference	8105
Unit Length	650mm
Unit Height	45mm
Projection	70mm
Material	Aluminium with black plastic moulding

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8105 - AS

(Boxed - Product Code - Finish)

Six Hat & Coat Hook Multi-rack (formerly Wellington range)

8106

Application:

- Six hook multi-rack

Specification:

Reference	8106
Unit Length	800mm
Unit Height	45mm
Projection	70mm
Material	Aluminium with black plastic moulding

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8106 - AS
(Boxed - Product Code - Finish)

Reliabrail - Rail (formerly Wellington range)

8H3/5/7

Application:

- Rail

Specification:

Reference	8H3 - 300mm 8H5 - 500mm 8H7 - 700mm
Width	300mm, 500mm, 700mm
Rail Diameter	28mm
Rose Diameter	65mm
Material	Aluminium with black plastic trim

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8H3 - AS
(Boxed - Product Code - Finish)

Flush Bolt - 150mm to 450mm

8060

Application:

- For securing the slave leaf of a pair of doors
- Standard installation requires two flushbolts, morticed into the top and bottom of the door for added security and to prevent the door from warping
- Suitable for use on swing or sliding doors

Operation:

- Sprung lever action that flicks the bolt up and down

Installation:

- Flush installation - discrete, clean and neat
- Radius corners for simple door preparation and improved styling
- Supplied with fixings for timber doors
- Supplied with a flat locking plate
- Radius chamfered trigger for smooth edge on finger

Specification:

Reference	8060-150 – 150mm 8060-200 – 200mm 8060-300 – 300mm 8060-450 – 450mm
Width	20.5mm
Length	150mm, 200mm, 300mm, 450mm
Depth	22.5mm
Bolt Projection	15mm
Material	Aluminium



Finishes:

- PL - Polished Brass finish
- SS - Satin Stainless Steel finish
- PSS - Polished Stainless Steel finish
- PA - Polished Aluminium
- SA - Satin Aluminium


Standards:

- Durability - 10,000 cycles
 - Corrosion - 96 hours resistance
 - Security - 100N side load
 - Security - 1 minute resistance to side load (4,500N)
- Included in a successful fire test to BS476 Part 22 to 30 minutes

Ordering Code Example:

J - 8060 150 PL

(Boxed - Product Code - Size - Finish)



Indicator Bolt

8094

Application:

- Suitable for wooden doors between 28 and 48mm

Specification:

Reference	8094
Bolt Projection	20mm
Body Width	66mm
Body Height	40.5mm
Body Projection	28.7mm
Indicator Width	42mm
Indicator Height	62mm
Indicator Projection	7mm
Material	Zinc

Finishes:

- CH - Chrome finish
- EB - Electro Brass
- SC - Satin Chrome



Ordering Code Example:

J 8094 - CH
(Boxed - Product Code - Finish)

Y 8094 - CH
(Visi packed - Product Code - Finish)

Indicator Bolt

8098

Application:

- Suitable for wooden doors between 28 and 48mm

Specification:

Reference	8098
Bolt Projection	13mm
Body Width	60mm
Body Height	36mm
Body Projection	34mm
Indicator Width	55mm
Indicator Height	40mm
Indicator Projection	5mm
Spindle	Steel, 4mm square
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8098 - AS

(Boxed - Product Code - Finish)

Indicator Bolt

8099

Application:

- Suitable for wooden doors between 28 and 48mm
- Features rubber buffer on grip

Specification:

Reference	8099
Bolt Projection	13mm
Body Width	60mm
Body Height	36mm
Body Projection	45mm
Indicator Width	55mm
Indicator Height	40mm
Indicator Projection	5mm
Spindle	Steel, 4mm square
Material	Aluminium with black rubber buffer

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 8099 - AS

(Boxed - Product Code - Finish)

Cockspur Fastener (formerly Wellington range)

70RH08
70LH08

Application:

- Cockspur fastener
- Hand must be stated when ordering

Specification:

Reference	70LH08 - Left Handed 70RH08 - Right Handed
Handle Length	108mm
Width	330mm
Plate Width	26mm
Plate Height	76mm
Material	Aluminium

Finishes:

- Anodised Silver



Ordering Code Example:

J 70 - LH08 - AS

(Boxed - Product Code - Finish)

10" Double Arm Stay (formerly Wellington range)

7A10

Application:


- 10" double arm stay

Specification:

Reference	7A10
Length	254mm
Material	Aluminium

Finishes:

- AS - Anodised Silver

**Ordering Code Example:**

J 7A10 - AS

(Boxed - Product Code - Finish)

12" Double Arm Stay (formerly Wellington range)

7A12

Application:

- 12" double arm stay

Specification:

Reference	7A12
Length	306mm
Material	Aluminium

Finishes:

- AS - Anodised Silver

**Ordering Code Example:**

J 7A12 - AS

(Boxed - Product Code - Finish)

10" Locking Stay Arm (formerly Wellington range) 7B10L

Application:

- 10" locking stay arm
- Upon key turn, lock inserts screws into side of stay
- Supplied with fixing screws

Specification:

Reference	7B10L
Length	257mm
Material	Aluminium

Finishes:

- AS - Anodised Silver



Ordering Code Example:

J 7B10L - AS
(Boxed - Product Code - Finish)

10" Senator Casement Stay (formerly Wellington range) 7F10

Application:

- 10" Senator casement stay

Specification:

Reference	7F10
Length	257mm
Material	Aluminium

Finishes:

- Anodised Silver



Ordering Code Example:

J 7F10 - AS
(Boxed - Product Code - Finish)

12" Senator Casement Stay (formerly Wellington range) 7F12

Application:

- 12" Senator casement stay

Specification:

Reference	7F12
Length	346mm
Material	Aluminium

Finishes:

- Anodised Silver



Ordering Code Example:

J 7F12 - AS
(Boxed - Product Code - Finish)

Window Lock Fastener (formerly Wellington range) 7PL

Application:

- Window lock fastener
- Upon key turn steel locking inserts screws from handle to the bar
- Separate keys available

Specification:

Reference	7PL
Handle Length	126mm
Material	Aluminium
Key Blank Number	J7WLK

Features:

- Black nylon moulding - if window slopes it squares with the fastener

Finishes:

- Anodised Silver



Ordering Code Example:

J 7PL - AS
(Boxed - Product Code - Finish)